Asian/Pacific Islander

Youth & Tobacco Data Summary 10th Grade Year 2000

10th Grade Students Surveyed n= 2,565 100.0 % 100.0 % 100.0 %			real 2000	County %	State %
Female	10th Grade S	Students Surveyed	n= 2,565	100.0 %	100.0 %
Male 48.7 % 48.4 % County %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 1303 14.4 %+/- 1.9 21.8 %+/- 2.2 Male n= 1233 14.1 %+/- 1.9 17.5 %+/- 2.1 Total n= 2536 14.3 %+/- 1.4 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 1302 3.6 %+/- 1.0 4.8 %+/- 1.5 Female n= 1231 8.4 %+/- 1.5 11.2 %+/- 1.7 11.2 %+/- 1.7 Total n= 2533 5.9 %+/- 0.9 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n= 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Total n= 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.2 Male	Gender				
Past 30 days, youth who have smoked cigarettes at least once Female n= 1303 14.4 %+/- 1.9 21.8 %+/- 2.1 Total n= 2536 11.2 %+/- 1.1 11.2 %+/- 1.7 Total n= 1231 3.6 %+/- 1.5 11.2 %+/- 1.7 Total n= 1233 3.6 %+/- 1.0 4.8 %+/- 1.7 Total n= 2533 3.6 %+/- 1.0 4.8 %+/- 1.7 Total n= 2533 3.6 %+/- 1.0 4.8 %+/- 1.7 Total n= 2533 3.6 %+/- 1.0 4.8 %+/- 1.7 Total n= 2533 3.6 %+/- 1.0 4.8 %+/- 1.7 Total n= 2533 3.7 %+/- 0.9 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n= 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Total n= 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	Female			51.3 %	51.6 %
Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female	Male			48.7 %	48.4 %
Past 30 days, youth who have smoked cigarettes at least once Female				_	
Past 30 days, youth who have smoked cigarettes at least once Female n = 1303 14.4 %+/- 1.9 21.8 %+/- 2.2 Male n = 1233 14.1 %+/- 1.9 17.5 %+/- 2.1 Total n = 2536 14.3 %+/- 1.4 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n = 1302 3.6 %+/- 1.5 11.2 %+/- 1.7 Total n = 2533 5.9 %+/- 0.9 7.9 %+/- 1.7 Total n = 2533 5.9 %+/- 0.9 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n = 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Total n = 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n = 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n = 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n = 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n = 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n = 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n = 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					_
Female	Past 30 days	s, youth who have smo	oked cigarettes	OI EIIOI	of Error
Male n= 1233 14.1 %+/- 1.9 17.5 %+/- 2.1 1.5 Total n= 2536 14.3 %+/- 1.4 19.8 %+/- 1.5 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 1302 3.6 %+/- 1.0 4.8 %+/- 1.7 1.2 %+/- 1.5 11.2 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.7 1.0 4.8 %+/- 1.0 1.2 %+/- 1.0 1.0 %+/- 1.0 4.0 9.8 %+/- 1.0 9.8 %+/- 1.0 1.0 %+/- 1.0 4.0 9.8 %+/- 1.0 9.8 %+/- 0.6 1.2 %+/- 0.6 1.2 %+/- 0.6 1.2 %+/- 0.8 1.0 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5					
Total n= 2536 14.3 %+/- 1.4 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 1302 3.6 %+/- 1.0 4.8 %+/- 1.7 Male n= 1231 8.4 %+/- 1.5 11.2 %+/- 1.7 Total n= 2533 5.9 %+/- 0.9 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n= 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Total n= 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 <t< td=""><td>Female</td><td>n= 1303</td><td></td><td></td><td></td></t<>	Female	n= 1303			
Past 30 days, youth who have smoked cigars at least once Female n= 1302 3.6 %+/- 1.0 4.8 %+/- 1.2 1.2 %+/- 1.7 Male n= 1231 5.9 %+/- 0.9 7.9 %+/- 1.0 1.2 %+/- 1.0 Total n= 2533 1.2 %+/- 0.0 1.2 %+/- 1.0 1.2 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298 1.2 %+/- 0.6 1.9 %+/- 0.8 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 0.5 1.9 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.5 %+/- 1.1 4.6 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.9 4.6 %+/- 0.8 1.2 %+/- 0.8 1.2 %+/- 0.9 1.2 %+/- 0.8	Male	n= 1233			
Female	Total	n= 2536		14.3 %+/- 1.4	19.8 %+/- 1.5
Male n = 1231 8.4 %+/- 1.5 11.2 %+/- 1.7 Total n = 2533 5.9 %+/- 0.9 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n = 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Male n = 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 1296 4.3 %+/- 1.1 4.5 %+/- 1.2 Male n = 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n = 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n = 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n = 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n = 1285 16.1 %+/- 2.0	Past 30 days	s, youth who have smo	oked cigars at least once		
Total n= 2533 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298 Male n= 1220 Total n= 2518 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 Alae n= 1296 Alae n= 1219 Alae n= 1219 Alae n= 1219 Alae n= 2515 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 Alae n= 1207 Alae n= 2491 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 Alae n= 1285 Alae n= 1203 For in a pipe at least once Female n= 1285 Alae n= 1203 For in a pipe at least once Female n= 1285 Alae n= 1203 For in a pipe at least once Female n= 1285 Alae n= 1203 For in a pipe at least once For in a pipe at least once	Female	n= 1302			
Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1298	Male	n= 1231			
at least once Female n= 1298 1.2 %+/- 0.6 1.2 %+/- 0.6 Male n= 1220 2.5 %+/- 0.9 2.7 %+/- 0.8 Total n= 2518 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	Total	n= 2533		5.9 %+/- 0.9	7.9 %+/- 1.0
Female	Past 30 days	s, youth who have smo	oked tobacco in a pipe		
Male Total n= 1220 n= 2518 2.5 %+/- 0.9 2.7 %+/- 0.8 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 n= 1219 n= 1219 n= 2515 4.3 %+/- 1.1 n= 4.5 %+/- 1.1 n= 4.5 %+/- 1.2 n= 4.7 %+/- 1.2 n= 2515 4.3 %+/- 1.3 n= 4.7 %+/- 1.2 n= 4.7 %+/- 1.2 n= 4.7 %+/- 1.2 n= 2515 4.5 %+/- 0.9 n= 4.6 %+/- 0.8 n= 2515 4.5 %+/- 1.2 n= 2515	at least once	е			
Total 1.9 %+/- 0.5 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	Female	n= 1298		1.2 %+/- 0.6	1.2 %+/- 0.6
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female	Male	n= 1220		2.5 %+/- 0.9	2.7 %+/- 0.8
at least once Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	Total	n= 2518		1.9 %+/- 0.5	1.9 %+/- 0.5
Female n= 1296 4.3 %+/- 1.1 4.5 %+/- 1.1 Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	-	• •	oked bidis (flavored cigarettes)		
Male n= 1219 6.2 %+/- 1.3 4.7 %+/- 1.2 Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4		-		4.3 %+/- 1.1	4.5 %+/- 1.1
Total n= 2515 5.2 %+/- 0.9 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					
(chewing tobacco, snuff or dip) at least once Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					
Female n= 1284 1.4 %+/- 0.6 1.4 %+/- 0.8 Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					
Male n= 1207 4.9 %+/- 1.2 7.9 %+/- 1.6 Total 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4			t least office	1 / % + / 0 6	1 / % +/ 0 8
Total n= 2491 3.1 %+/- 0.7 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					
Past 30 days, youth who have used any tobacco product at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4					
at least once Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4				J.1 /0+/- U./	4.0 /0+/- 0.3
Female n= 1285 16.1 %+/- 2.0 23.8 %+/- 2.3 Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4	•	· •	d any tobacco product		
Male n= 1203 19.0 %+/- 2.2 24.8 %+/- 2.4				16.1 %+/- 2.0	23.8 %+/- 2.3

Asian/Pacific Islander

Youth & Tobacco Data Summary 10th Grade Year 2000

10d. 2000	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs	n= 2498 57.4 %+/- 1.9 26.1 %+/- 1.7 6.1 %+/- 0.9 10.4 %+/- 1.2	49.9 %+/- 1.9 24.7 %+/- 1.6 9.3 %+/- 1.1 16.1 %+/- 1.4
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= 416 64.4 %+/- 4.6	56.8 %+/- 4.0
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= 530 9.6 %+/- 2.5	6.7 %+/- 1.7
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= 284 58.8 %+/- 5.7	58.3 %+/- 4.9
Do you think you will smoke a cigarette at any time during the next year? Definitely no	n= 2526 63.8 %+/- 1.9	56.2 %+/- 1.8
If one of your best friends offered you a cigarette, would you smoke it? Definitely no	n= 2531 64.8 %+/- 1.9	59.1 %+/- 1.8
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= 2528 41.4 %+/- 1.9	46.8 %+/- 1.8
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no	n= 2161 75.0 %+/- 1.8	72.8 %+/- 1.8
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= 2529 91.5 %+/- 1.1	92.2 %+/- 1.0
Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no	n= 2540 64.8 %+/- 1.9	67.7 %+/- 1.7

Asian/Pacific Islander

Youth & Tobacco Data Summary 10th Grade Year 2000

real 2000	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 2518 48.8 %+/- 2.0	39.7 %+/- 1.8
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 2521 17.4 %+/- 1.5	18.7 %+/- 1.4
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 989 26.8 %+/- 2.8	28.7 %+/- 2.7
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 990 20.1 %+/- 2.5	24.6 %+/- 2.5
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 2526 33.0 %+/- 1.8	27.5 %+/- 1.6
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 2531 77.9 %+/- 1.6	77.6 %+/- 1.6
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 2533 44.7 %+/- 1.9	39.4 %+/- 1.8
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 2527 35.5 %+/- 1.9	27.8 %+/- 1.6
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 2530 58.6 %+/- 1.9	65.8 %+/- 1.7
Does anyone who lives with you now smoke cigarettes? Yes	n= 989 36.8 %+/- 3.0	37.4 %+/- 2.9